



## Technical Data Sheet

---

### Low Odor White Lightning Stripper

Paint Stripper

#### Description

---

NAPCO's Low Odor White Lightning Stripper is a powerful paint stripper that removes most coatings within 15 minutes after application, without the unpleasant odor. It removes paint, varnish, lacquer, shellac, urethane, epoxy, and synthetic coatings – oftentimes multiple layers in a single application.

#### Laboratory Data

#### Typical Properties

Viscosity (cPs)	10000-25000
Specific Gravity	1.25
pH Range	8-10
Flash Point (closed cup)	255°F
VOC (Volume)	6.9% by weight

#### Application

---

Wear chemical-resistant gloves and chemical splash goggles. Shake well and slowly open can, relieving pressure. Pour into a metal container and apply with a paintbrush, brushing in one direction only. After 15 minutes, test a small area to verify the stripper has removed finish sufficiently. Multiple layers and/or stubborn finishes may require repeat application.

#### Surface Preparation

---

Surface should be completely clean and dry prior to refinishing.

#### Temperature/Humidity Considerations

---

For best results, use in temperatures between 65°F and 85°F and away from strong breeze and hot sun.

7315 Hamlin Avenue - Skokie, IL 60076-3902 - Phone (847) 779-6464 - Toll Free: (800) 888-1081

Fax (847) 779-6465 - [www.napcoltd.com](http://www.napcoltd.com)

## Notes and Precautions

---

Before handling, it is important that all engineering controls are operating and that protective equipment requirement and personal hygiene measures are being followed. Only trained personnel should work with this product. In event of a spill or leak, immediately put on escape-type respirator and exit the area. Immediately report leaks, spills or failures of the safety equipment (e.g. ventilation system). Avoid generating vapors or mists. Prevent accidental contact with incompatible chemicals. Do not handle until manufacturer safety precautions have been read and understood. Avoid contact with or breathing vapors released during drying or curing process. Wash thoroughly after handling. Remove contaminated clothing and wash before re-use. Use with adequate ventilation. Keep container tightly closed, avoid skin contact.

## Storage

---

Store in a cool, dry, well-ventilated area away from incompatible substances like strong oxidizers and chlorine. Keep material from freezing. Product is not flammable or combustible; as a precaution, always keep away from excessive heat.

11/16 - SAZ